Bathroom Fittings and Fixtures – Installation Care and Maintenance

For: Project: Date: By: BRIGHTON HOMES ASHMORE STREET, Everton Park (Mirvac) December 2021 Samios Plumbing - Eagle Farm Branch



SK1-A KITCHEN SINK – STAINLESS STEEL OPTION

EXCELLENCE SQUARELINE 1.5 BOWL

PRODUCT CODE:

72150

FEATURES:

- / 304 Stainless Steel bowl
- / 2 x 90mm basket waste
- / 32L & 16L capacity
- / Suitable for garbage disposal connection
- / Sink bench fixing clips
- / Undermount or top mount

OVERALL DIMENSIONS:

670 L x 440 W x 200mm D

WARRANTY:

30 years

ADDITIONAL EXTRAS:

97942 - Excellence Squareline Accessories Kit (cutting board and colander) 97899 - Draining Tray


Care and Cleaning:


https://youtu.be/Uqb2ZpiDSmA

Warranty: https://www.everhard.com.au/warranties-2











SK1-B KITCHEN SINK – GRANITE BLACK OPTION

Key Features

Engineered In Germany

Every SILGRANIT[™] design impresses with its timeless, straight lined bowl geometry which will suit all types of kitchen products and worktops.

Durability

SILGRANIT[™] consist of 80% granite, which makes it unbeatably resiliant, extremely durable, scratch resistant, heat resistant, unbreakable and acid resistant.

Hygiene + Plus

A patented formula that acts as a shield against dirt and bacteria growth by an average of 98%.

Maximum bowl size

Due to the smallest possible radii of 10mm, it allows for a large sink area and a modern classy look.

Designer Wastes No additional costs after purchase.

Rear Waste Position Increases your storage space below the sink.

Specifications

Method of Installation: Undermount

Cabinet Size: 80cm cabinet

Overall Dimensions: 755w x 460d x 200/200hmm

Cut-out Dimensions: 725w x 400d (refer to CAD drawing on the website for corner radii)

Bowl Capacities: 26 Litres

Standard Inclusion: Designer Waste

Integrated Overflow:

Yes Warranty: 30 years

Accessories

Glass Cutting Board ANDCUTGCB

Plastic Drainer Tray BDRAINP


Wooden Chopping Board BWCB


Stainless Steel Outlet Cover CAPFLOW


Stainless Steel Basket SUBLINEBK

Stainless Steel Colander SUBLINECOLSS











Care and Cleaning: https://blanco-australia.com/product/subline-350-350-u/

Warranty: https://blanco-australia.com/warranty/


SK2-A & SK2-B COUNTER TOP BASINS – MATT WHITE / MATT BLACK

Counter Top Basin

CHIOSO round counter top basin ceramic thin edge profile, 5yr replacement warranty. Size: 355x120mm Finish: Matte White and Matte Black Code: ELD12101MW and ELD1210BL (with matching ceramic top pop up wastes for each basin) Code: ELDCPUWMW and CPUWMBL









Warranty: http://www.millenniumtapware.com.au/warranty.htm



SK3 POWDER ROOM WALL BASIN (RH)

Wall Basin


LINEA wall basin with overflow and 1x taphole Inc. brackets – 5yr warranty. Size: 500x250x144mm Finish: Gloss White Code: FIETR4127A


Linea Right-Hand wall-hung basin

Features

- Fully vitreous china
- · One tap hole with overflow
- Requires 32 mm waste with overflow (not included)
- Wall mounting bolts included
- Not reversible (due to bolt holes)
- · Capacity: 4 litres









Available in Gloss White TR4127A

Warranty: https://fienza.com.au/warranties/

Cleaning & Care

- Wipe with a clean, soft cloth and mild soapy water or nonabrasive bathroom cleaner. Test in an inconspicuous area before cleaning the whole basin.
- Avoid placing hot objects, such as hair straighteners, on any surface as these will cause discolouration and marking.
- Spills of hair due, after-shave lotion, nail polish and remover, aerosol spray and other harsh chemicals should be removed immediately to prevent damage and discolouration. Clean immediately with mild soapy water using a clean, soft cloth.



SK3 POWDER ROOM WALL BASIN (LH)

Wall Basin


LINEA wall basin with overflow and 1x taphole Inc. brackets – 5yr warranty. Size: 500x250x144mm Finish: Gloss White Code: FIETR4127


Linea Left-Hand wall-hung basin

Features

- Fully vitreous china
- One tap hole with overflow
- Requires 32 mm waste with overflow (not included)
- Wall mounting bolts included
- Not reversible (due to bolt holes)
- Capacity: 4 litres









Available in Gloss White

Warranty: https://fienza.com.au/warranties/

Cleaning & Care


- Wipe with a clean, soft cloth and mild soapy water or nonabrasive bathroom cleaner. Test in an inconspicuous area before cleaning the whole basin.
- Avoid placing hot objects, such as hair straighteners, on any surface as these will cause discolouration and marking.
- Spills of hair dge, after-shave lotion, nail polish and remover, aerosol spray and other harsh chemicals should be removed immediately to prevent damage and discolouration. Clean immediately with mild soapy water using a clean, soft cloth.



FX9 BASIN PLUG (POWDER ROOM BASIN ONLY)

Universal Basin Plug and Waste 32/40mm connection Finish: Gloss White Code: ADPPWMMUSHGW







SK4 LAUNDRY SINK

NUGLEAM 35L UTILITY SINK

PRODUCT CODE:

73300

FEATURES:

- / 35L bowl with centre taphole
- 304 stainless steel bowl with 25mm internal corner radius
- 90mm stainless steel basket waste
- / Minimalist style with flat edge design

OVERALL DIMENSIONS:

555 L x 455 W x 225mm D

WARRANTY:


25 years

Care and Cleaning:

https://youtu.be/Uqb2ZpiDSmA

Warranty:

https://www.everhard.com.au/warranties-2





BTH1 BATH TUB DROP IN

```
Steel Bath Tub
```

Argent Bette Start drop in pressed steel bath Inc. tiling lip and Universal feet for installation 30yr warranty. Size: 1500 / 1600 /1700 x 700x420mm Finish: Gloss White Code: ARGB1500WWOB / ARG1600WWOB / B197-WWOB



Available options: **B23-1500** Universal Bath Feet


- Includes Tiling Lip
- Requires 40mm Waste: Code 28911 (not included)


Installation Details: LINK:

https://www.argentaust.co m.au/sites/default/files/do wnloads/Villeroy%20%26%2 0Boch%20Drop%20In%20% 26%20Island%20Bath%20Ins tallation%20Instructions.pdf

https://www.argentaust.co m.au/sites/default/files/do wnloads/Bette%20Badewan nenfuss%20Installation%20I nstructions.pdf







dimension	Α	в	С	D	E	F	G	н	- 1	ĸ	L	м	Ν	Р	Volume	Weight
140 x 70 x 42 cm	1400	700	85	1255	60	460	460	480	1035	420	480	100	65	225	85 litre	36.3kg
150 x 70 x 42 cm	1500	700	80	1360	60	460	580	460	1145	420	480	100	60	225	95 litre	38.0kg
160 x 70 x 42 cm	1600	700	85	1450	65	440	640	520	1225	420	480	95	60	225	108 litre	41.0kg
170 x 70 x 42 cm	1700	700	85	1550	65	450	700	550	1300	420	480	90	65	240	120 litre	43.2kg


SAMIOS BATHROOMS

BTH2 OPUS FREESTANDING BATH 1700MM

Freestanding Bath

OPUS freestanding oval bath 1700mm long sanitary grade acrylic, thin edge profile 35mm, adjustable feet 2 Year Warranty Finish: Gloss White Code: 902502





Supplied with NO overflow

Cleaning & Care

- Regularly clean with mild soapy water using a microfibre cloth.
 Weekly cleaning is recommended.
- Do not use harsh detergents, bleach, cream cleaners, window cleaning sprays, or citrus based cleaners.
- Do not use undue pressure and wipe in one direction only.
- If using coloured essential oils, test in an inconspicuous area with water to ensure they won't stain the bath. Always add oils to a bath full of water.




TT1 WALL FACED PAN & SEAT (ENSUITE ONLY)

Toilet Pan & Seat

KORE Plus "Rimless" back to wall Pan with Soft Close Seat (use with Geberit Inwall Cisterns) 7 Year Warranty (2yr Seat replacement warranty) WELS 4.5ltr/3ltr / 4 Star Finish: Gloss White Code: 901114





Cleaning & Care

- The toilet seat may be removed for cleaning depress the quick release buttons and lift up.
- Clean only with a soft cloth or sponge using warm water and mild soap or detergent. Do not use any abrasive cleaning materials.
- Do not use any solvents or corrosive liquids.






560

TT2 TOILET SUITES (MAIN & POWDER)

Toilet Suite

KORE Plus BTW Toilet Suite Rimless Technology with Soft Close Heavy Duty Seat easy detachable seat function for cleaning. Back and/or Bottom Inlet applications. Toilet seat supplied already fitted to pan. WELS 4.5ltr/3ltr / 4 Star - 7 Year Warranty - 2yr Seat replacement warranty) Finish: Gloss White Code: 901115





Cleaning & Care

- The toilet seat may be removed for cleaning depress the quick release buttons and lift up.
- Clean only with a soft cloth or sponge using warm water and mild soap or detergent. Do not use any abrasive cleaning materials.
- · Do not use any solvents or corrosive liquids.




A.1

FX1 TWIN SHOWER RAIL SET

Twin Shower

EVOLVE Dual Shower Rail with integrated diverter 200mm overhead shower rose + hand held shower with 3x functions. top inlet water supply WELS 3 Star - 7 Year Warranty Code: RAMEVCSH








Kitchen Sink Mixer

ZENITH sink mixer with swivel solid cast spout WELS 4 Star - 15 Year Warranty Code: RAMZSSM






Warranty: https://ramtaps.com.au/warranty/



FX3 BASIN MIXER (POWDER ROOM BASINS ONLY)

Basin Mixer ZENITH basin mixer with swivel solid cast spout WELS 4 Star - 15 Year Warranty Code: RAMZNBSM






Warranty: https://ramtaps.com.au/warranty/



FX4 WALL MIXER (SHOWER & BATH MIXERS)

Wall Mixer

ZENITH Wall Mixer with solid brass 65mm dia. back plate 15 Year Warranty Code: RAMZNSHM





FX6 SHOWER ON RAIL SET (BATHROOM ONLY)

Chrome

Matte Black

Shower Rail Set Evolve 3 Function Hand Shower on rail with wall union brass slide rail 1.5m long hose 3 star WELS 9ltr/min 15 Year Warranty Code: RAMHSEVB




Warranty: https://ramtaps.com.au/warranty/



FX7 BATH WALL SPOUT

Wall Spout Park Wall bath spout solid brass with integrated aerator 15 Year Warranty Code: RAMPKSPSWQ






FX8 BOTTLE TRAP

Bottle Trap 40mm 15 Ye

40mm Bottle Trap Brass construction/ 15 Year Warranty Code: RAMBTR40







Warranty: https://ramtaps.com.au/warranty/





Colour Finishes

Care and Maintenance

Ramtaps Colour Finishes are Electroplated and tested in accordance with Australian Standards. Electroplating is a durable metal finish and will protect the product against pitting, peeling or bubbling, when subjected to what is considered to be regular domestic use.

Cleaning and handling of all finishes must be performed carefully.

Care and Cleaning Instructions

- · To clean, use a soft cloth with warm soapy water only.
- Never use harsh detergents or abrasive cleaners as these will damage the product.
- Water marks can be prevented by towelling excess water off after use and removed periodically with the application of a non-abrasive carnauba wax polish on a microfibre cloth.
- Do not use undue pressure when cleaning and wipe in one direction only.
- Contact with harsh chemicals such as hair dye, hair bleach etc with result in damage to the finish.
- Tapware should never be installed using acetone silicones.

Damage to finishes arising from improper installation or post installation use or failure to observe the above care and cleaning instructions will void all warranty agreements.


For further information or to lodge a warranty claim, visit our website (ramtaps.com.au) or email us at service@ramtaps.com.au




FX15 INWALL CISTERN

Geberit Sigma8 for back to wall pans

- Suitable for S or P trap back to wall pans.
- Options of mechanical, pneumatic or electronic buttons give greater design freedom.
- Compatible with all mechanical and pneumatic Sigma buttons available in Australia.
- · Fits standard 90mm walls.
- WELS 3 Star 6L/3L or WELS 4 Star 4.5L/3L.
- Made in Germany.







INSTALLATION VIDEO LINK:

https://www.geberit.com.au/product s/cisterns-buttons/geberitconcealed-cisterns/

Warranty: https://www.geberit.com.au/local-

media/files/warranty.pdf

Article No.	109.794.00.1 (6/3L) 109.795.00.1 (4.5/3L)
Installation type	In-wall, stud or brick 90mm
WELS rating	3 Star (6/3L) or 4 Star (4.5/3L)
Pan type	BTW S or P Trap – suits all major brands
Standards	Watermark
Operating Pressure	10-1000Кра
Operation	Mechanical Front Flush
Warranty	15 years on cistern tanks and frames, 3 years on valve products

Sigma plates compatible with Sigma cisterns.




FX15 INWALL CISTERN BUTTONS



SIGMA 20 BUTTON CODE: GE FINISH: BRI

GEB115.882.KH.1 BRIGHT CHROME FINISH





SIGMA 20 BUTTON CODE: GEB1 FINISH: MATTE

GEB115.882.JQ.1 MATTE CHROME FINISH



SIGMA 20 BUTTON CODE: GEB115.882.16.1 FINISH: MATTE BLACK FINISH

INSTALLATION VIDEO LINK:

https://www.geberit.com.au/product s/cisterns-buttons/geberitconcealed-cisterns/

Warranty:

https://www.geberit.com.au/localmedia/files/warranty.pdf




FX20-A FLOOR WASTE

Floor Waste Radiant Tile Insert Floor Waste 100x100x38mm 316 Stainless Steel manufacture, for connection to 50mm PVC waste with puddle flange 2 Year Warranty Finish: Stainless Steel Code: RAD316-RGS-100-38



FEATURES

- 316 stainless steel
- Thickness of stainless steel is 1.2mm
- Base is 1.2mm folded edge, cover is 1.0mm folded edge
- Australian Watermark approved
- 12mm deep insert can accommodate up to 10mm tile + adhesive
- Matt Black has a Teflon finish, Brushed Gold has a PVD finish
- Covered by a 7 year warranty *



Technical Information and Warranty:

http://www.radiantheating.com.au/downloads/floorgrates-brochure.pdf



FX20-B LINEAL CHANNEL DRAIN

Floor Channel Stormtech Linear Tile Insert Floor Channel 100mm 316 Stainless Steel manufacture, up to 1m long adjustable waste and end caps 10 Year Warranty Finish: Stainless Steel Code: STO100Tii20-1000



Code 100Tii20 Range 100 Grate Style Ti Category Modular Kits Channel Material Stainless Steel Steel Grade 316



Grates longer than 1500mm supplied in sections. Tile Inserts longer than 1200mm supplied in sections. Channels over 3000mm supplied in sections with joiner. */-2mm tolerance on dimensions. The 100Tii20 is a modular all stainless steel drainage system.


The 100Til20 is a Tile Insert Drain manufactured from 1.5mm thick 316 marine grade stainless steel.

Suitable for tiles up to 10mm thick.

SPECIFICATIONS + DIMENSIONS

Channel Width Channel Depth	106mm 23mm
Length(s)	900mm 1000mm 1200mm 1500mm 1800mm 2000mm 2400mm 2700mm
Outlet Size	3000mm DN80, DN100

STORMTECH COLOUR FINISHES




Electroplate finishes subject to natural variation with time and local environment. Factors such as pools/surf beaches may require electropolishing. Contact us for suitability.

PRODUCT APPLICATIONS

Bathroom Drainage Aged / Health Care Drainage Balcony Drainage Commercial Drainage Hospitality Drainage Shower Drainage Multi-Residential Drainage Special Needs Drainage Threshold Drainage Wet Area Drainage

Copyright © Stormtech Pty Ltd. Patent 733361. Drawings not to scale, please use dimensions shown.




Technical Information and Warranty: https://stormtech.com.au/warranty-information

SAMIOS

BATHROOMS

FX21 WASHING MACHINE STOPS

Wall Stops Mini Wall Stops ¼ turn Chrome Plated Code: 281039






FX10 230mm GUEST TOWEL RAIL

Beyond Accessories solid brass construction, including direct double fixing system Diamond drill bit and drilling fixture included, wall plugs and screws 10 Year Warranty



FX11 650mm SINGLE TOWEL RAIL





Chrome

Matte Black

Installation Instructions:

https://cdn.shopify.com/s/files/1/2261/1283/files/beyo nd-installation.pdf?1384017733222355856


Brushed Nickel

Brushed Gold


Gun Metal

Warranty:

https://avenir.com.au/pages/terms









FX13 SHOWER SHELF





https://avenir.com.au/pages/terms







WARRANTY & TERMS CONDITIONS

http://www.millenniumtapware.com.au/warranty.htm Basins https://ramtaps.com.au/warranty/ Tapware https://avenir.com.au/pages/terms Accessories Stainless Sinks https://www.everhard.com.au/warranties-2 Granite Sinks https://blanco-australia.com/warranty/ Geberit Inwall Cisterns & https://assets.geberit.com.au/local-media/files/geberitterms-and-conditions-eff-dec-2018.pdf **Buttons** https://stormtech.com.au/warranty-information Drains/Channels

> http://www.radiantheating.com.au/downloads/floor-gratesbrochure.pdf

Toilets / Freestanding Baths

<u>Samios Plumbing Supplies – Eagle Farm Branch</u> <u>https://shop.samios.net.au/</u>



Thankyou for the opportunity to submit fittings for your project, please do not hesitate to contact us for any additional information you may require :

Contact:

Samios Plumbing Supplies - Eagle Farm Projects Division.
181 - 189 Fison Avenue, Eagle Farm, QLD, 4009
T: 07 3638 0488
E: projects@samios.net.au
W: www.samios.net.au

Please note: Every effort has been made to ensure product images and technical data match the product shown, however product models are subject to change without notification according to the manufacturer.

